

DaVinci



Body Fit

Fitness and Wellness Factory

STRENGTH


FUSION

PRONE LEG CURL



SPECIFICATION

✂	Dimension	1610 x 1110 x 1530 mm
📦	Weight stack	110 kg
📦+	Extra weight stack	E7001_EW / 135 kg
📏	Frame dimensions	37 x 134 mm
📦	Transport box	1720 x 1110 x 450 mm Plywood
🎨	Frame color	● ● ●
🎨	Application color	● ● ●
⚖	Weight	255 kg




Thanks to the prone design of Prone Leg Curl, users can easily and comfortably use the device to strengthen calf and hamstring muscles. The design of eliminating the elbow pad makes the structure of the equipment more concise, and the divergent body pad angle eliminates the pressure on the lower back and makes training more focused.

LEG EXTENSION



SPECIFICATION

✂	Dimension	1425 x 1165 x 1530 mm
📦	Weight stack	110 kg
📦+	Extra weight stack	E7002_EW / 135 kg
📏	Frame dimensions	37 x 134 mm
📦	Transport box	1720 x 1110 x 400 mm Plywood
🎨	Frame color	● ● ●
🎨	Application color	● ● ●
⚖	Weight	250 kg





The Fusion Pro Series Leg Extension is designed to help exercisers focus on the major muscles of the thigh. Angled seat and back pad encourage full quadriceps contraction. A self-adjusting tibia pad provides comfortable support, the adjustable back cushion allows the knees to be easily aligned with the pivot axis to achieve good biomechanics.

LEG PRESS



SPECIFICATION

	Dimension	1280 x 1430 x 2080 mm
	Weight stack	115 kg
	Extra weight stack	--
	Frame dimensions	37 x 134 mm
	Transport box	2120 x 1110 x 600 mm Plywood
	Frame color	  
	Application color	  
	Weight	330 kg






The **Fusion Pro Series Leg Press** is efficient and comfortable when training the lower body. The angled adjustable seat allows easy positioning for different users. The large foot platform offers a variety of training modes, including calf exercises. Integrated assist handles on both sides of the seat allow the exerciser to better stabilize the upper body during training.

LATERAL RAISE



SPECIFICATION

	Dimension	1300 x 970 x 1530 mm
	Weight stack	110 kg
	Extra weight stack	E7005_EW / 135 kg
	Frame dimensions	37 x 134 mm
	Transport box	1730 x 1130 x 560 mm Plywood
	Frame color	  
	Application color	  
	Weight	245 kg





The **Fusion Pro Series Lateral Raise** is designed to allow exercisers to maintain a sitting posture and easily adjust the height of the seat to ensure that the shoulders are aligned with the pivot point for effective exercise. The gas-assisted seat adjustment and multi-start position adjustment are added to improve the user's experience and actual needs.

SHOULDER PRESS



SPECIFICATION

	Dimension	1550 x 1550 x 1530 mm
	Weight stack	110 kg
	Extra weight stack	E7006_EW / 135 kg
	Frame dimensions	37 x 134 mm
	Transport box	1720 x 1110 x 500 mm Plywood
	Frame color	  
	Application color	  
	Weight	260 kg


















The Fusion Pro Series Shoulder Press offers a new motion trajectory solution that simulates natural motion paths. The dual-position handle supports more training styles, and the angled back and seat pads help users maintain a better training position and provide corresponding support.

REAR DELT / PEC FLY



SPECIFICATION

	Dimension	1280 x 1430 x 2075 mm
	Weight stack	95 kg
	Extra weight stack	--
	Frame dimensions	37 x 134 mm
	Transport box	2020 x 1110 x 650 mm Plywood
	Frame color	  
	Application color	  
	Weight	248 kg




The Fusion Pro Series Rear Delt / Pec Fly offer a comfortable and efficient manner to train upper body muscle groups. The adjustable rotating arm is designed to adapt to the arm length of different users, providing the correct training posture. Oversized handles reduce the extra adjustment needed to switch between the two sports, and gas-assisted seat adjustment and wider back cushions further enhance the training experience.

VERTICAL PRESS



SPECIFICATION

	Dimension	1435 x 1125 x 1530 mm
	Weight stack	110 kg
	Extra weight stack	E7008_EW / 135 kg
	Frame dimensions	37 x 134 mm
	Transport box	1720 x 1110 x 500 mm Plywood
	Frame color	  
	Application color	  
	Weight	281 kg




The **Vertical Press** is great for training upper body muscle groups. Assisted footrests are eliminated, and an adjustable back pad is used to provide a flexible starting position, which balanced both comfort and performance. The split-type motion design allows exercisers to choose a variety of training programs. The low pivot of the movement arm ensures proper path of motion and easy entrance/exit to and from the unit.

DIP / CHIN ASSIST



SPECIFICATION

	Dimension	1930 x 1000 x 2495 mm
	Weight stack	110 kg
	Extra weight stack	E7009_EW / 135 kg
	Frame dimensions	37 x 134 mm
	Transport box	2450 x 1110 x 370 mm Plywood
	Frame color	  
	Application color	  
	Weight	280 kg




The **Fusion Pro Series Dip/Chin Assist** is optimized for pull-ups and parallel bars. The standing posture is used instead of the kneeling posture for training, which is closer to the real training situation. There are two training modes, assisted and unassisted, for users to freely adjust the training plan.

STANDING CALF



SPECIFICATION

✂	Dimension	1860 x 820 x 1530 mm
📊	Weight stack	80 kg
📊+	Extra weight stack	E7010_EW / 95 kg
📏	Frame dimensions	37 x 134 mm
📦	Transport box	1700 x 1100 x 580 mm Plywood
🎨	Frame color	● ● ●
🎨	Application color	● ● ●
⚖	Weight	295 kg




The Standing Calf is designed to train the calf muscles safely and effectively. Adjustable height shoulder pads can fit most users, combined with anti-slip foot plates and handles for safety. The Standing Calf provides effective training for the calf muscle group by standing on tiptoes.

LAT PULLDOWN



SPECIFICATION

✂	Dimension	1190 x 1200 x 2230 mm
📊	Weight stack	110 kg
📊+	Extra weight stack	E7012_EW / 135 kg
📏	Frame dimensions	37 x 134 mm
📦	Transport box	2450 x 1130 x 420 mm Plywood
🎨	Frame color	● ● ●
🎨	Application color	● ● ●
⚖	Weight	245 kg














The Fusion Pro Series Lat Pulldown follows the usual design style of this category, with the pulley position on the device allowing the user to move smoothly in front of the head. The Fusion Pro Series powered gas assist seat and adjustable thigh pads make it easier for exercisers to use and adjust.

CABLE CROSS



SPECIFICATION












	Dimension	440 x 750 x 2280 mm
	Weight stack	190 kg
	Extra weight stack	--
	Frame dimensions	30 mm
	Transport box	3200 x 1080 x 650 Plywood
	Frame color	  
	Application color	
	Weight	440 kg

The Fusion Pro Series Adjustable Cable Crossover is a self-contained cable crossover device that provides two sets of adjustable cable positions, allowing two users to execute different workouts at the same time, or individually. Supplied with a rubber-wrapped pull-up handle with dual grip positions. With quick and easy adjustments, users can use it alone or in combination with gym benches and other accessories to complete a variety of workouts.

CABLE CROSS



SPECIFICATION

	Dimension	1570 x 1110 x 2330 mm
	Weight stack	190 kg
	Extra weight stack	--
	Frame dimensions	30 mm
	Transport box	2330 x 1080 x 340 Plywood
	Frame color	  
	Application color	
	Weight	396 kg


The Fusion Pro Functional Trainer supports taller users for diverse workouts, with 17 adjustable cable positions to accommodate most users of all sizes, making it even better when used as a standalone device. The double 95kg weight stack provides enough load even for experienced lifters.

ROTATION



SPECIFICATION

	Dimension	1150 x 1130 x 1530 mm
	Weight stack	65 kg
	Extra weight stack	E7018_EW / 95 kg
	Frame dimensions	37 x 134 mm
	Transport box	1710 x 1110 x 430 mm Plywood
	Frame color	  
	Application color	  
	Weight	260 kg





The Fusion Pro Series Rotary Torso maintains the usual design of this type of equipment for comfort and performance. The kneeling position design is adopted, which can stretch the hip flexors while reducing the pressure on the lower back as much as possible. The uniquely designed knee pads ensure the stability and comfort of use and provide protection for multi-posture training.

ABDUCTOR & ADDUCTOR



SPECIFICATION

	Dimension	1630 x 820 x 1530 mm
	Weight stack	95 kg
	Extra weight stack	E7021_EW / 135 kg
	Frame dimensions	37 x 134 mm
	Transport box	1720 x 1110 x 450 mm Plywood
	Frame color	  
	Application color	  
	Weight	265 kg




The Fusion Pro Series Abductor features an easy-adjust start position for both inner and outer thigh exercises. Improved ergonomic seat and back cushions provide users with stable support and a more comfortable experience. The pivoting thigh pads combined with an adjustable starting position allow the user to quickly switch between the two workouts.

SEATED LEG CURL



SPECIFICATION

	Dimension	1665 x 1145 x 1530 mm
	Weight stack	110 kg
	Extra weight stack	E7023_EW / 135 kg
	Frame dimensions	37 x 134 mm
	Transport box	1720 x 1110 x 450 mm Plywood
	Frame color	  
	Application color	  
	Weight	270 kg





The Fusion Pro Series Seated Leg Curl features a new construction designed to provide more comfortable and efficient leg muscle training. The angled seat and adjustable back pad allow the user to better align the knees with the pivot point to promote full hamstring contraction.

GLUTE ISOLATOR



SPECIFICATION

	Dimension	2145 x 1030 x 1530 mm
	Weight stack	110 kg
	Extra weight stack	E7024_EW / 135 kg
	Frame dimensions	37 x 134 mm
	Transport box	1720 x 1110 x 550 mm Plywood
	Frame color	  
	Application color	  
	Weight	280 kg






The Fusion Pro Series Glute Isolator based on the floor standing position and is designed to train the muscles of the glutes and standing legs. Both the elbow and chest pads have been ergonomically optimized to ensure comfort in training support. The motion part feature fixed double-layer tracks, with specially calculated track angles for optimal biomechanics.

SEATED DIP



SPECIFICATION

	Dimension	1320 x 1060 x 1530 mm
	Weight stack	110 kg
	Extra weight stack	E7026_EW / 135 kg
	Frame dimensions	37 x 134 mm
	Transport box	1720 x 1110 x 450 mm Plywood
	Frame color	  
	Application color	  
	Weight	260 kg




The Fusion Pro Series Seated Dip replicates the motion path of the traditional parallel bar push-up exercise, providing a comfortable and effective way to train the triceps and pecs. The angled back pad reduces pressure while improving stability and comfort.

CAMBER CURL



SPECIFICATION

	Dimension	1500 x 930 x 1530 mm
	Weight stack	80 kg
	Extra weight stack	E7030_EW / 95 kg
	Frame dimensions	37 x 134 mm
	Transport box	1720 x 1110 x 350 mm Plywood
	Frame color	  
	Application color	  
	Weight	192 kg




The Fusion Pro Series Biceps Curl has a scientific curl position. Adaptive handle for comfortable grip, gas-assisted seat adjustment system, optimized transmission which all make the training easier and effective.

BACK EXTENSION



SPECIFICATION

	Dimension	1285 x 1055 x 1530 mm
	Weight stack	110 kg
	Extra weight stack	E7031_EW / 135 kg
	Frame dimensions	37 x 134 mm
	Transport box	1720 x 1110 x 350 mm Plywood
	Frame color	  
	Application color	  
	Weight	250 kg






The Fusion Pro Series Back Extension have a walk-in design with adjustable back rollers, allowing the exerciser to freely choose the range of motion. At the same time, the Fusion Pro Series optimizes the pivot point of the motion arm to connect it with the main body of the equipment, improving stability and durability.

LONG PULL



SPECIFICATION

	Dimension	1780 x 1320 x 1530 mm
	Weight stack	110 kg
	Extra weight stack	E7033_EW / 135 kg
	Frame dimensions	37 x 134 mm
	Transport box	2030 x 1130 x 780 mm Plywood
	Frame color	  
	Application color	  
	Weight	220 kg




The Fusion Pro Series Long Pull follows the usual design style of this category. As a mature and stable mid row training device, the Long Pull has a raised seat for easy entry and exit, and independent footrests support users of all sizes. The use of flat oval tubes further improves the stability of the equipment.

VERTICAL ROW



SPECIFICATION

	Dimension	1505 x 1005 x 1530 mm
	Weight stack	110 kg
	Extra weight stack	E7034_EW / 135 kg
	Frame dimensions	37 x 134 mm
	Transport box	1720 x 1110 x 550 mm Plywood
	Frame color	  
	Application color	  
	Weight	245 kg





The Fusion Pro Series Vertical Row features a split-type motion design with adjustable chest pads and a gas-assisted adjustable seat. The 360-degree rotating adaptive handle supports multiple training programs for different users. Users can comfortably and effectively strengthen the muscles of the upper back and lats with the Vertical Row.

PULLDOWN



SPECIFICATION

	Dimension	1520 x 1445 x 1795 mm
	Weight stack	110 kg
	Extra weight stack	E7035_EW / 135 kg
	Frame dimensions	37 x 134 mm
	Transport box	1720 x 1110 x 500 mm Plywood
	Frame color	  
	Application color	  
	Weight	275 kg




Seated training for the upper body and back, trains the entire back musculature. The handle is pulled towards the upper body in a controlled position, the cable pull enables a constant pulling movement for a comfortable exercise. Height-adjustable, slanted pads for the thighs ensure stability. Comfortable weight selection from a seated position.

ABDOMINAL ISOLATOR / E7073



SPECIFICATIONS
E7073

	Dimension	1150x 1060 x 1575 mm
	Weight stack	110 kg
	Extra weight stack	E7073_EW / 135 kg
	Frame dimensions	37 x 134 mm
	Transport box	1720 x 1110 x 450 mm Plywood
	Frame color	  
	Application color	  
	Weight	225 kg

















The **Fusion Pro Series Abdominal Isolator** is designed in a kneeling position. The advanced ergonomic pads not only help users maintain the correct training position, but also enhances the training experience of the exercisers. The unique split-type motion arms design of the Fusion Pro Series allows exercisers to strengthen the training of the weak side.


BENCHES
BORN FROM EXPERIENCE

FLAT BENCH



SPECIFICATION

	Dimension	1265 x 790 x 460 mm
	Weight stack	--
	Extra weight stack	--
	Frame dimensions	--
	Transport box	1300 x 460 x 290 mm Carton
	Frame color	  
	Application color	  
	Weight	25 kg


















For freeweights exercises or abdominal trainer with different adjustment angles, wheels for mobility.

DECLINE ABDOMINAL BENCH



SPECIFICATION

	Dimension	1685 x 790 x 860 mm
	Weight stack	--
	Extra weight stack	--
	Frame dimensions	--
	Transport box	1750 x 720 x 260 mm Carton
	Frame color	  
	Application color	  
	Weight	45 kg















For freeweights exercises or abdominal trainer with different adjustment angles, wheels for mobility.

MULTI PURPOSE BENCH



SPECIFICATION

	Dimension	970 x 740 x 1040 mm
	Weight stack	--
	Extra weight stack	--
	Frame dimensions	--
	Transport box	1020 x 790 x 280 mm Carton
	Frame color	  
	Application color	  
	Weight	30 kg















Seat position with back rest, close to the ground for stability and comfort; Foot support for stability.

SUPER BENCH



SPECIFICATION

	Dimension	1355 x 730 x 480 mm
	Weight stack	--
	Extra weight stack	--
	Frame dimensions	--
	Transport box	1360 x 730 x 480 mm Carton
	Frame color	  
	Application color	  
	Weight	42 kg




Bench with seat and backrest adjustment; Wheels for mobility; Adjustable to various angles.

OLYMPIC BENCH DECLINE



SPECIFICATION

Dimension	2145 x 1815 x 1310 mm
Weight stack	--
Extra weight stack	--
Frame dimensions	--
Transport box	1520 x 950 x 460 mm Carton
Frame color	Black, Grey, White
Application color	Black, Brown, Yellow
Weight	98 kg




Negative declined bench with four hooks for barbell and eight weight horns.

OLYMPIC BENCH INCLINE



SPECIFICATION

Dimension	2185 x 1810 x 1570 mm
Weight stack	--
Extra weight stack	--
Frame dimensions	--
Transport box	1600 x 880 x 420 mm Carton
Frame color	Black, Grey, White
Application color	Black, Brown, Yellow
Weight	88 kg


















Inclined bench with four hooks for barbell and eight weight horns.

OLYMPIC BENCH



SPECIFICATION

	Dimension	2015 x 1815 x 1310 mm
	Weight stack	--
	Extra weight stack	--
	Frame dimensions	--
	Transport box	1350 x 900 x 360 mm Carton
	Frame color	  
	Application color	  
	Weight	72 kg

















Flat bench with four hooks for barbell and eight weight horns.

SEATED PREACHER CURL



SPECIFICATION

	Dimension	1310 x 815 x 1005 mm
	Weight stack	--
	Extra weight stack	--
	Frame dimensions	--
	Transport box	1650 x 900 x 300 mm Carton
	Frame color	  
	Application color	  
	Weight	65 kg


















Bench offers two different positions for varied workouts and accommodates users of all sizes.

BACK EXTENSION



SPECIFICATION

	Dimension	1520 x 790 x 830 mm
	Weight stack	--
	Extra weight stack	--
	Frame dimensions	--
	Transport box	1480 x 750 x 580 mm Carton
	Frame color	  
	Application color	  
	Weight	56 kg
















Retaining bottom edge for stability and comfort throughout the entire exercise.

VERTICAL KNEES UP DIP



SPECIFICATION

	Dimension	1040 x 720 x 1650 mm
	Weight stack	--
	Extra weight stack	--
	Frame dimensions	--
	Transport box	1650 x 1100 x 280 mm Carton
	Frame color	  
	Application color	  
	Weight	60 kg


















Elbow pads and special dip handles provide comfort, shaped urethane pads protect the frame.

SQUAT RACK



SPECIFICATION

	Dimension	1385 x 1745 x 1770 mm
	Weight stack	--
	Extra weight stack	--
	Frame dimensions	--
	Transport box	1900 x 1450 x 200 mm Carton
	Frame color	  
	Application color	  
	Weight	90 kg


















The polyurethane coating reduces wear and limits noise makes for a gentle workout.

OLYMPIC SEATED BENCH



SPECIFICATION

	Dimension	1255 x 1100 x 1800 mm
	Weight stack	--
	Extra weight stack	--
	Frame dimensions	--
	Transport box	1850 x 1450 x 250 mm Carton
	Frame color	  
	Application color	  
	Weight	108 kg















Military Bench features molded urethane protective racking that limits noise and protects the bar from wear for a stable and precise workout

VERTICAL PLATE TREE



SPECIFICATION

	Dimension	680 x 690 x 900 mm
	Weight stack	--
	Extra weight stack	--
	Frame dimensions	--
	Transport box	880 x 750 x 320 mm Carton
	Frame color	  
	Application color	
	Weight	24 kg











Stable stand with six horns for weight plates; Easy to mount and remove the plates.

BARBELL RACK



SPECIFICATIO

	Dimension	990 x 850 x 1320 mm
	Weight stack	--
	Extra weight stack	--
	Frame dimensions	--
	Transport box	1350 x 1050 x 200 mm Carton
	Frame color	  
	Application color	  
	Weight	70 kg










Accommodates a wide range of Barbells and Curl Bars;Ensures that equipment is easily accessible.

ANGLED LEG PRESS



SPECIFICATION

	Dimension	2090 x 1400 x 1420 mm
	Weight stack	--
	Extra weight stack	--
	Frame dimensions	--
	Transport box	1420 x 1520 x 520 mm Plywood
	Frame color	  
	Application color	  
	Weight	200 kg












The Fusion Pro Series Angled Leg Press features heavy duty commercial linear bearings for smooth motion and durable. The 45-degree angle and two starting positions simulate an optimal leg-pressure movement, but with spinal pressure removed. Two weight horns on the footplate allow users to easily load the weight plates, fixed handles is independent of the locking lever for better body stabilization.

HACK SLIDE



SPECIFICATION

	Dimension	2040 x 1630 x 1220 mm
	Weight stack	--
	Extra weight stack	--
	Frame dimensions	--
	Transport box	1420 x 1520 x 520 mm Plywood
	Frame color	  
	Application color	  
	Weight	175 kg




The Fusion Pro Series Hack Squat simulates the motion path of a ground squat, providing the same experience as free weight training. Not only that, but the special angle design also eliminates the shoulder load and spinal pressure of traditional ground squats, stabilizes the exerciser's center of gravity on the inclined plane, and ensures the straight transmission of force.

INCLINE LEVEL ROW



SPECIFICATION

Dimension	1770x 1160 x 1275 mm
Weight stack	--
Extra weight stack	--
Frame dimensions	--
Transport box	1650 x 1550 x 410 mm Carton
Frame color	Black, Grey, White
Application color	Black, Brown, Yellow
Weight	75 kg




Two differently arranged handles provide variance during the exercise. Two stand plates stainless steel pad for more grip at different heights adapt user sizes. The chest padding ensures comfortable lying on.

SEATED CALF



SPECIFICATION

Dimension	1230 x 660 x 840 mm
Weight stack	--
Extra weight stack	--
Frame dimensions	--
Transport box	1270 x 720 x 380 mm Carton
Frame color	Black, Grey, White
Application color	Black, Brown, Yellow
Weight	45 kg









The Fusion Pro Series Seated Calf allows the user to activate the rationally using body weight and additional weight plates. Easily adjustable thigh pads support users of different sizes, and the seated design removes spinal pressure for a more comfortable and effective training. The start-stop catch lever ensures safety when starting and ending training.

SMITH MACHINE



SPECIFICATION

	Dimension	2090 x 1500 x 2330 mm
	Weight stack	--
	Extra weight stack	--
	Frame dimensions	--
	Transport box	2400 x 1550 x 400 mm Plywood
	Frame color	  
	Application color	  
	Weight	222 kg


















Due to the negative angle, a natural movement during pressure exercises and squats is particularly supported low starting weight due to counter weights. A closed guide rail with safety latches offers quick and easy adjustment. Eight weight ups.

SUPER SQUAT



SPECIFICATION

	Dimension	1790 x 1630 x 1750 mm
	Weight stack	--
	Extra weight stack	--
	Frame dimensions	--
	Transport box	2000 x 1100 x 620 mm Plywood
	Frame color	  
	Application color	  
	Weight	121 kg








The Fusion Pro Series Super Squat offers both forward and reverse squat training modes to activate the major muscles of the thighs and hips. The wide, angled foot platform keeps the user's path of motion on an incline plane, greatly releasing pressure on the spine. The locking lever will automatically drop when you start training reachable locking handle for easy reset when exiting training.

RACK



SPECIFICATION

	Dimension	2295 x 595 x 725 mm
	Weight stack	--
	Extra weight stack	--
	Frame dimensions	--
	Transport box	2330 x 440 x 150 mm Carton
	Frame color	  
	Application color	
	Weight	57 kg






The clean, efficient 5 Pair Beauty Dumbbell Rack allows for easy access to of dumbbells in a space efficient design.

DUMBBELL RACK



SPECIFICATION

	Dimension	2300 x 600 x 720 mm
	Weight stack	--
	Extra weight stack	--
	Frame dimensions	--
	Transport box	2330 x 440 x 150 mm Carton
	Frame color	  
	Application color	
	Weight	52 kg















The clean, efficient 2-Tier, 10 Pair Dumbbell Rack allows for easy access to of dumbbells in a space efficient design.

DUMBBELL RACK



SPECIFICATION

	Dimension	1050 x 590 x 710 mm
	Weight stack	--
	Extra weight stack	--
	Frame dimensions	--
	Transport box	910 x 690 x 210 mm Carton
	Frame color	  
	Application color	
	Weight	40 kg



This rack is compact and fit 5 pairs of dumbbells which is friendly to limited training areas such as hotels and apartments.

Da Vinci Body Fit ... Shaping the

Future of Fitness & Wellness!

When Technology meets Fitness
in one world!

DaVinci Body Fit

Via Provinciale, 455

Urgnano (BG) - Provincia Lombardia
Italia

**YOU ARE INTERESTED IN ADDITIONAL
INFORMATION, OR WANT TO MEET IN
PERSON:**

Our distributor :

WWW.DAVINCIBODYFIT.COM